BRAIN RESEARCH

VOL. 720 NOS. 1,2 **CONTENTS** **13 MAY 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research Reports

Decreased rat brain cytochrome oxidase activity after prolonged hypoxia
J.C. LaManna, K.L. Kutina-Nelson, M.A. Hritz, Z. Huang and M.T.T. Wong-Riley (USA) 1

Oxytocin and vasopressin immunoreactivity in rabbit hypothalamus during estrus, late pregnancy, and postpartum
M. Caba, R. Silver, G. González-Mariscal, A. Jiménez and C. Beyer (México, USA) 7

Human central nervous system myelin inhibits neurite outgrowth
W.P. Ng, N. Cartel, J. Roder, A. Roach and A. Lozano (Canada) 17

Identification of osmoresponsive neurons in the forebrain of the rat: a Fos study at the ultrastructural level
J.W. Bisley, S.M. Rees, M.J. McKinley, D.K. Hards and B.J. Oldfield (Australia) 25

Modulation of ligand binding to components of the $GABA_A$ receptor complex by ammonia: implications for the pathogenesis of hyperammonemic syndromes
J.-H. Ha and A.S. Basile (USA) 35

Intense peripheral electrical stimulation differentially inhibits tail vs. limb withdrawal reflexes in the rat
V.V. Romita and J.L. Henry (Canada) 45

The neurochemical and behavioral effects of β-amyloid peptide(25–35)
S.-Y. Chen, J.W. Wright and C.D. Barnes (USA) 54

Expression of estrogen receptor-like immunoreactivity by different subgroups of basal forebrain cholinergic neurons in gonadectomized male and female rats
R.B. Gibbs (USA) 61

Cytotoxic effects of kainate ligands on HEK cell lines expressing recombinant kainate receptors
J.M. Carver, P.-E. Mansson, L. Cortes-Burgos, J. Shu, L.M. Zhou, J.R. Howe and T. Giordano (USA) 69

Inhibition of nitric oxide synthase attenuates blood-brain barrier disruption during experimental meningitis
K.M.K. Boje (USA) 75

In vivo and in vitro labelling of perineuronal nets in rat brain
G. Brückner, A. Bringmann, G. Köppe, W. Härtig and K. Brauer (Germany) 84

β-Amyloid protein-dependent nitric oxide production from microglial cells and neurotoxicity
M. Ii, M. Sunamoto, K. Ohnishi and Y. Ichimori (Japan) 93

Lanthanum and zinc sensitivity of $GABA_A$-activated currents in adult medial septum/diagonal band neurons from ethanol dependent rats
G.D. Frye, A.S. Fincher, C.A. Grover and S. Jayaprabhu (USA) 101

Prolonged induction of c-*fos* in neuropeptide Y- and somatostatin-immunoreactive neurons of the rat dentate gyrus after electroconvulsive stimulation
D.P.D. Woldbye, M.H. Greisen, T.G. Bolwig, P.J. Larsen and J.D. Mikkelsen (Denmark) 111

Development of dopamine receptors in the forebrain of the domestic chick in relation to auditory imprinting. An autoradiographic study
R. Schnabel and K. Braun (Germany) 120

Amphetamine-induced changes in nigrostriatal terminal excitability are modified following repeated amphetamine pretreatment
M. Garcia-Munoz, D.S. Segal, P. Patino, S.J. Young, R. Kuczenski and P.M. Groves (USA) 131

Distribution of the inositol trisphosphate receptor in the catfish retina
M.A. Micci and B.N. Christensen (USA) 139

Increased ipsilateral expression of Fos following lateral hypothalamic self-stimulation
A. Arvanitogiannis, C. Flores, J.G. Pfaus and P. Shizgal (Canada) 148

Immobilization stress-induced increase of hippocampal acetylcholine and of plasma epinephrine, norepinephrine and glucose in rats
T. Tajima, H. Endo, Y. Suzuki, H. Ikari, M. Gotoh and A. Iguchi (Japan) 155

Immobilization-induced stress activates neuronal nitric oxide synthase (nNOS) mRNA and protein in hypothalamic–pituitary–adrenal axis in rats
J. Kishimoto, T. Tsuchiya, P.C. Emson and Y. Nakayama (Japan, UK) 159

Regenerated hair cells exhibit a transient resistance to aminoglycoside toxicity
E. Hashino and R.J. Salvi (USA) 172

Cardiovascular effects produced by bradykinin microinjection into the nucleus tractus solitarii of anesthetized rats
S.M. Caligiorne, R.A.S. Santos and M.J. Campagnole-Santos (Brazil) 183

(contents continued on p. 240)

0006-8993(19960513)720:1/2;1-Z

BRAIN RESEARCH

VOL. 720 NOS. 1,2 **CONTENTS** **13 MAY 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research Reports

Decreased rat brain cytochrome oxidase activity after prolonged hypoxia
J.C. LaManna, K.L. Kutina-Nelson, M.A. Hritz, Z. Huang and M.T.T. Wong-Riley (USA) 1

Oxytocin and vasopressin immunoreactivity in rabbit hypothalamus during estrus, late pregnancy, and postpartum
M. Caba, R. Silver, G. González-Mariscal, A. Jiménez and C. Beyer (México, USA) 7

Human central nervous system myelin inhibits neurite outgrowth
W.P. Ng, N. Cartel, J. Roder, A. Roach and A. Lozano (Canada) 17

Identification of osmoresponsive neurons in the forebrain of the rat: a Fos study at the ultrastructural level
J.W. Bisley, S.M. Rees, M.J. McKinley, D.K. Hards and B.J. Oldfield (Australia) 25

Modulation of ligand binding to components of the $GABA_A$ receptor complex by ammonia: implications for the pathogenesis of hyperammonemic syndromes
J.-H. Ha and A.S. Basile (USA) 35

Intense peripheral electrical stimulation differentially inhibits tail vs. limb withdrawal reflexes in the rat
V.V. Romita and J.L. Henry (Canada) 45

The neurochemical and behavioral effects of β-amyloid peptide(25–35)
S.-Y. Chen, J.W. Wright and C.D. Barnes (USA) 54

Expression of estrogen receptor-like immunoreactivity by different subgroups of basal forebrain cholinergic neurons in gonadectomized male and female rats
R.B. Gibbs (USA) 61

Cytotoxic effects of kainate ligands on HEK cell lines expressing recombinant kainate receptors
J.M. Carver, P.-E. Mansson, L. Cortes-Burgos, J. Shu, L.M. Zhou, J.R. Howe and T. Giordano (USA) 69

Inhibition of nitric oxide synthase attenuates blood-brain barrier disruption during experimental meningitis
K.M.K. Boje (USA) 75

In vivo and in vitro labelling of perineuronal nets in rat brain
G. Brückner, A. Bringmann, G. Köppe, W. Härtig and K. Brauer (Germany) 84

β-Amyloid protein-dependent nitric oxide production from microglial cells and neurotoxicity
M. Ii, M. Sunamoto, K. Ohnishi and Y. Ichimori (Japan) 93

Lanthanum and zinc sensitivity of $GABA_A$-activated currents in adult medial septum/diagonal band neurons from ethanol dependent rats
G.D. Frye, A.S. Fincher, C.A. Grover and S. Jayaprabhu (USA) 101

Prolonged induction of c-*fos* in neuropeptide Y- and somatostatin-immunoreactive neurons of the rat dentate gyrus after electroconvulsive stimulation
D.P.D. Woldbye, M.H. Greisen, T.G. Bolwig, P.J. Larsen and J.D. Mikkelsen (Denmark) 111

Development of dopamine receptors in the forebrain of the domestic chick in relation to auditory imprinting. An autoradiographic study
R. Schnabel and K. Braun (Germany) 120

Amphetamine-induced changes in nigrostriatal terminal excitability are modified following repeated amphetamine pretreatment
M. Garcia-Munoz, D.S. Segal, P. Patino, S.J. Young, R. Kuczenski and P.M. Groves (USA) 131

Distribution of the inositol trisphosphate receptor in the catfish retina
M.A. Micci and B.N. Christensen (USA) 139

Increased ipsilateral expression of Fos following lateral hypothalamic self-stimulation
A. Arvanitogiannis, C. Flores, J.G. Pfaus and P. Shizgal (Canada) 148

Immobilization stress-induced increase of hippocampal acetylcholine and of plasma epinephrine, norepinephrine and glucose in rats
T. Tajima, H. Endo, Y. Suzuki, H. Ikari, M. Gotoh and A. Iguchi (Japan) 155

Immobilization-induced stress activates neuronal nitric oxide synthase (nNOS) mRNA and protein in hypothalamic–pituitary–adrenal axis in rats
J. Kishimoto, T. Tsuchiya, P.C. Emson and Y. Nakayama (Japan, UK) 159

Regenerated hair cells exhibit a transient resistance to aminoglycoside toxicity
E. Hashino and R.J. Salvi (USA) 172

Cardiovascular effects produced by bradykinin microinjection into the nucleus tractus solitarii of anesthetized rats
S.M. Caligiorne, R.A.S. Santos and M.J. Campagnole-Santos (Brazil) 183

(contents continued on p. 240)

0006-8993(19960513)720:1/2;1-Z

Kutina-Nelson, K.L., see LaManna, J.C. (720) 1

LaManna, J.C., Kutina-Nelson, K.L., Hritz, M.A., Huang, Z. and Wong-Riley, M.T.T. Decreased rat brain cytochrome oxidase activity after prolonged hypoxia (720) 1
Larsen, P.J., see Woldbye, D.P.D. (720) 111
Lozano, A., see Ng, W.P. (720) 17
Luiten, P.G.M., De Jong, G.I., Van der Zee, E.A. and Van Dijken, H. Ultrastructural localization of cholinergic muscarinic receptors in rat brain cortical capillaries (720) 225

Mallory, M., see Iwai, A. (720) 230
Mansson, P.-E., see Carver, J.M. (720) 69
Masliah, E., see Iwai, A. (720) 230
Mattson, M.P., see Hauser, K.F. (720) 191
McKinley, M.J., see Bisley, J.W. (720) 25
Micci, M.A. and Christensen, B.N. Distribution of the inositol trisphosphate receptor in the catfish retina (720) 139
Mikkelsen, J.D., see Woldbye, D.P.D. (720) 111

Nakayama, Y., see Kishimoto, J. (720) 159
Ng, W.P., Cartel, N., Roder, J., Roach, A. and Lozano, A. Human central nervous system myelin inhibits neurite outgrowth (720) 17

Ohnishi, K., see Ii, M. (720) 93
Oldfield, B.J., see Bisley, J.W. (720) 25

Patino, P., see Garcia-Munoz, M. (720) 131
Pfaus, J.G., see Arvanitogiannis, A. (720) 148

Rees, S.M., see Bisley, J.W. (720) 25
Roach, A., see Ng, W.P. (720) 17
Roder, J., see Ng, W.P. (720) 17
Romita, V.V. and Henry, J.L. Intense peripheral electrical stimulation differentially inhibits tail vs. limb withdrawal reflexes in the rat (720) 45
Ryan, S.E., see Hauser, K.F. (720) 191

Saitoh, T., see Iwai, A. (720) 230
Salmon, D.P., see Iwai, A. (720) 230
Salvi, R.J., see Hashino, E. (720) 172
Santos, R.A.S., see Caligiorne, S.M. (720) 183
Schnabel, R. and Braun, K. Development of dopamine receptors in the forebrain of the domestic chick in relation to auditory imprinting. An autoradiographic study (720) 120
Segal, D.S., see Garcia-Munoz, M. (720) 131
Shizgal, P., see Arvanitogiannis, A. (720) 148
Shu, J., see Carver, J.M. (720) 69
Silver, R., see Caba, M. (720) 7
Smith, A.D., see Bacon, S.J. (720) 211
Steinbacher Jr., B.C. and Yates, B.J. Brainstem interneurons necessary for vestibular influences on sympathetic outflow (720) 204
Stiene-Martin, A., see Hauser, K.F. (720) 191
Sunamoto, M., see Ii, M. (720) 93
Sundsmo, M.P., see Iwai, A. (720) 230
Suzuki, Y., see Tajima, T. (720) 155

Tajima, T., Endo, H., Suzuki, Y., Ikari, H., Gotoh, M. and Iguchi, A. Immobilization stress-induced increase of hippocampal acetylcholine and of plasma epinephrine, norepinephrine and glucose in rats (720) 155
Tsuchiya, T., see Kishimoto, J. (720) 159

Van der Zee, E.A., see Luiten, P.G.M. (720) 225
Van Dijken, H., see Luiten, P.G.M. (720) 225

Woldbye, D.P.D., Greisen, M.H., Bolwig, T.G., Larsen, P.J. and Mikkelsen, J.D. Prolonged induction of c-*fos* in neuropeptide Y- and somatostatin-immunoreactive neurons of the rat dentate gyrus after electroconvulsive stimulation (720) 111
Wong-Riley, M.T.T., see LaManna, J.C. (720) 1
Wright, J.W., see Chen, S.-Y. (720) 54

Yates, B.J., see Steinbacher Jr., B.C. (720) 204
Young, S.J., see Garcia-Munoz, M. (720) 131

Zhou, L.M., see Carver, J.M. (720) 69

(contents continued)

μ-Opioid receptor-induced Ca^{2+} mobilization and astroglial development: morphine inhibits DNA synthesis and stimulates cellular hypertrophy through a Ca^{2+}-dependent mechanism
K.F. Hauser, A. Stiene-Martin, M.P. Mattson, R.P. Elde, S.E. Ryan and C.C. Godleske (USA) 191

Brainstem interneurons necessary for vestibular influences on sympathetic outflow
B.C. Steinbacher Jr. and B.J. Yates (USA) 204

Amygdala input to medial prefrontal cortex (mPFC) in the rat: A light and electron microscope study
S.J. Bacon, A.J.N. Headlam, P.L.A. Gabbott and A.D. Smith (UK) 211

Short Communications

Evidence for pharmacologically distinct $GABA_B$ receptors associated with cAMP production in rat brain
M.D. Cunningham and S.J. Enna (USA) 220

Ultrastructural localization of cholinergic muscarinic receptors in rat brain cortical capillaries
P.G.M. Luiten, G.I. De Jong, E.A. Van der Zee and H. Van Dijken (Netherlands) 225

The synaptic protein NACP is abnormally expressed during the progression of Alzheimer's disease
A. Iwai, E. Masliah, M.P. Sundsmo, R. DeTeresa, M. Mallory, D.P. Salmon and T. Saitoh (USA) 230

Right–left asymmetry of D_1- and D_2-receptor density is lost in the basal ganglia of old rats
L. Giardino (Italy) 235

Author Index 239